



C35/45 concrete @ 28 days used in the manufacture of this unit.

This product complies with IS EN 12839:2012 & BS 1722-2 2006 incl. Annex A.

Steel reinforcing to strainer & strut consists of 4No R8mm bars & 4No R6mm bars respectively. All with 20mm cover (minimum) & 30mm at ends. Rebar located by patent plastic spacers.

ISOMETRIC VIEW.

A. Notation amended.

March '14

- DO NOT SCALE USE FIGURED DIMENSIONS ONLY.
- ALL DIMENSIONS TO BE CHECKED ON SITE.
- A.P.C TO BE INFORMED OF ANY DISCREPANCIES BEFORE WORK PROCEEDS.

© COPYRIGHT: Ardee Precast Concrete.
This drawing or any part thereof may not be copied or otherwise reproduced without the written permission of Ardee Precast Concrete.

Project:		TECHNICAL DATA SHEET.		Sheet Size:		A4	
Title:		2.40M STRAINER FENCING POST & STRUT.		Drawing Scale:		1:20, 1:5	
Drawing No:		APC - 404		Revision:		A	
Date:		07-10-2011		Drawn By:		N.D.	
Checked By:				Date:			



Ardee Precast Concrete Ltd.
 Townparks Ardee Co. Louth
 Tel. +353(0)41 6856372
 Fax. +353(0)41 6857216
 Email us at info@ardeeprecastconcrete.com
 Visit us at www.ardeeprecastconcrete.com